

Application Serial No. 09/922,852  
Attorney's Docket No.: 06618-503001

Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

1. (Currently amended) A method of encoding a signal, comprising:
  - obtaining a portion of the signal to be encoded;
  - first encoding said portion using a rate 1 coder, to in a  
~~way that~~ repeats said portion to form a first encoded portion;
  - interleaving said first encoded portion to form an interleaved portion; and
  - second encoding said first encoded interleaved portion using an encoder that has a rate close to ones, wherein said first encoding, said interleaving, and said second encoding is done according to a serial concatenated code, and forms a code that can be iteratively decoded.

2. (Previously presented) A method as in claim 1 wherein said second encoding is via a rate 1 linear transformation.

3. (Currently amended) A method as in claim 1 ~~wherein said first encoding is carried out by a first coder with a rate less than 1,~~ said second encoding is carried out by an

Application Serial No. 09/922,852  
Attorney's Docket No.: 06618-503001

inner coder with a rate substantially close to one, and further comprising an additional coding, carried out by a middle coder which carries out coding with a rate less than or equal to one.

4. (Original) A method as in claim 3 wherein said middle coder comprises a q,n coder which codes blocks of length q to form blocks of length n.

5. (Original) A method as in claim 1 wherein said second encoding is via an accumulator.

6. (Previously presented) A method of encoding a signal, comprising:

obtaining a portion of the signal to be encoded;

first encoding said portion in a way that repeats said portion to form a first encoded portion; and

second encoding said first encoded portion using an encoder that has a rate close to one;

wherein said second encoding is via an accumulator; and

wherein said second encoding by said accumulator uses a

transfer function of  $\frac{1}{1+D}$ .

Application Serial No. 09/922,852  
Attorney's Docket No.: 06618-503001

7. (Original) A method as in claim 5 wherein said second encoding uses a transfer function of  $\frac{1}{(1+D+D^2)}$ .

8. (Original) A method as in claim 1 wherein said second encoding uses two accumulators.

9. (Original) A method as in claim 1 further comprising carrying out at least one additional encoding operation.

10. (Currently amended) A method as in claim 9 wherein there are  $x$  encoding operations and  $x > 1$ .

11-12. (Cancelled)

13. (Currently amended) A method as in claim 1 further comprising carrying out a plurality of serially concatenated interleaving operations.

14. (Currently amended) A method as in claim 1 wherein there are one fewer interleaving operations than [[decoding]] coding operations.

Application Serial No. 09/922,852  
Attorney's Docket No.:06618-503001

15. (Original) A method as in claim 1 further comprising puncturing bits, at specified intervals, to change an effective rate of the inner coder.

16. (Original) A method as in claim 1 further comprising coding information on separate branches of a tree structure.

17-18. (Cancelled)

19. (Currently amended) A coding system, comprising:  
an outer coder, having an input which is configured to receive a stream of bits to be coded, to produce a first coded stream of bits at an output thereof at a coding rate less than rate 1;

an interleaver, receiving said first coded bits at its input, and producing second coded bits at an output, according to a specified interleaver function; and

an inner coder receiving said second bits at an input thereof, and having an output connected to a channel, said inner coder coding the bits according to an inner code which is substantially rate 1, wherein said outer coder, said interleaver

Application Serial No. 09/922,852  
Attorney's Docket No.:06618-503001

and said inner coder form a serially concatenated coder, and  
which form a code that can be iteratively decoded.

20. (Original) A device as in claim 19 wherein said inner code is within 10% of being rate 1.

21. (Original) A device as in claim 19 wherein said inner code is within 1% of being rate 1.

22. (Original) A system as in claim 19 wherein said outer coder is a coder which carries out a repetition code.

23-25. (Cancelled)

26. (Original) A system as in claim 19 wherein said inner coder is an accumulator which encodes according to the transfer function  $\frac{1}{(1+D)}$ .

27. (Original) A system as in claim 19 wherein said inner coder encodes according to a transfer function  $\frac{1}{(1+D+D^2)}$ .

Application Serial No. 09/922,852  
Attorney's Docket No.:06618-503001

28. (Original) A system as in claim 19 wherein said inner coder is an accumulator which accumulates twice.

29. (Original) A system as in claim 19 further comprising at least one middle coder, wherein said middle coder operates at a rate which is either less than, or equal to, ~~or substantially equal to~~, one.

30. (Original) A system as in claim 29 wherein there are a plurality of said middle coders.

31. (Original) A system as in claim 30 wherein there are a plurality of said interleavers, and assuming if  $x$  is the number of coders, then  $x - 1$  is the number of interleavers.

32. (Original) A system as in claim 19 wherein said outer coder is a concatenation of a plurality of short block coders.

33. (Currently amended) A system as in claim 30 wherein said middle coders are  $(n,k)$  coders which receive a block of size  $k$ , and converts each said block to a block of size  $n$ , according to a predetermined technique.

Application Serial No. 09/922,852  
Attorney's Docket No.: 06618-503001

34. (Original) A system as in claim 19 wherein said coding of bits are done in a tree form.

35. (Original) A system as in claim 34 wherein said tree has a separate branch which is encoded separately.

36. (Currently amended) A coding system, comprising:  
a first outer coder configured to receive a plurality of bits to be coded;

a second coder, configured to change the bits once coded by the outer coder, in a specified way, at a rate which is less than or equal to one; and

a third rate one inner coder, configured to code the bits from the second coder at a rate, which is substantially rate one, to produce an output signal indicative thereof, and an iterative decoder, connected to receive said output signal and to iteratively decode the output signal.

37. (Original) A system as in claim 36 wherein said second coder codes the bits at rate one.

38. (Currently amended) A system as in claim 37 ~~wherein the second coder is~~ further comprising an interleaver associated with the second coder.

Application Serial No. 09/922,852  
Attorney's Docket No.:06618-503001

39. (Original) A system as in claim 36 wherein the second coder is a n,k coder which receives k bits and produces an output of n bits.

40. (Currently amended) A system as in claim 36 wherein said first outer coder is a repetition coder ~~with a rate less than one.~~

41. (Original) A system as in claim 36 wherein said inner coder is an accumulator.

42. (Original) A system as in claim 41 wherein said accumulator has a transfer function  $\frac{1}{1+D}$ .

43. (Original) A system as in claim 36 wherein said inner coder has a transfer function of  $\frac{1}{(1+D+D^2)}$ .

44. (Original) A system as in claim 36 wherein said second and third coders include a double accumulator.

45. (Original) A system as in claim 36 wherein said outer coder is a concatenation of short block codes.



Application Serial No. 09/922,852  
Attorney's Docket No.: 06618-503001

46. (Currently amended) A system as in claim 36 ~~further comprising~~ wherein said second coder comprises a plurality of said middle coders.

47. (Original) A system as in claim 46 wherein there are also a plurality of interleavers.

48. (Currently amended) A coding system, comprising:  
a first outer coder, receiving a plurality of bits to be encoded, and encoding said bits with a rate less than one to produce a number of bits greater than a number of input bits;

a middle coder, receiving an output of said output coder, said middle coder having an encoding rate less than or equal to one, and producing middle encoded bits; and

a rate one inner coder which has a coding rate which is substantially equal to one, and which produces an output for a channel, said rate one inner coder carrying out coding according to a specified transfer function; and

an iterative decoder, connected to said channel to receive said output, and to iteratively decode the code.

Application Serial No. 09/922,852  
Attorney's Docket No.:06618-503001

49. (Currently amended) A ~~[[coder]]~~ system as in claim 48 wherein said inner coder is an accumulator.

50. (Currently amended) A ~~[[coder]]~~ system as in claim 48 wherein said inner coder is a digital filter with a specified transfer function.

51. (Currently amended) A ~~[[coder]]~~ system as in claim 48 wherein said inner coder has a transfer function of

$$\frac{1}{1+D}$$

52. (Currently amended) A ~~[[coder]]~~ system as in claim 48 wherein said inner coder has a transfer function of

$$\frac{1}{(1+D+D^2)}$$

53. (Currently amended) A ~~[[coder]]~~ system as in claim 48 wherein said middle coder ~~is a interleaver and~~ has a rate of one and further comprising an interleaver associated with said middle coder.

54. (Currently amended) A ~~[[coder]]~~ ]] system as in claim 48 wherein said middle coder comprises at least one

Application Serial No. 09/922,852  
Attorney's Docket No.:06618-503001

additional coder and at least one interleaver, said additional coder having a rate less than one and coding according to an  $(n,k)$  code which produces blocks of size  $n$  for input blocks of size  $k$ .

55. (Currently amended) A [[coder]] system as in claim 48 wherein said outer coder is a repetition coder.

56. (Currently amended) A [[coder]] system as in claim 48 wherein said [[coder]] coding system is arranged as a tree, and further comprising an additional branch on the tree, both the first branch and the additional branch extending directly from input to output without recursing back or recombining with another branch.

57. (Original) A system as in claim 56 wherein said inner coder is an accumulator, and said additional branch includes an additional accumulator thereon.

58. (Currently amended) A [[method]] system as in claim 48 wherein said rate one inner coder is a linear coder.

Application Serial No. 09/922,052  
Attorney's Docket No.: 06618-503001

59. (Currently amended) A method of sending data over a channel comprising:

obtaining original digital data to be sent over a channel;

first encoding said data using an outer coder with a rate less than one, to produce outer coded data having additional bits beyond bits of the original digital data;

second [[coding]] interleaving said data using an interleaver which rearranges the bits according to a specified matrix; and

inner coding the interleaved bits to form an output stream having the same number of bits as the interleaved bits according to a specified inner coding technique and to produce output data,

said output data being produced by a linear [[structure]] connection between each element which extends directly from input to output without recombinations or branches back to previous coding elements; and an iterative decoder, connected to receive said output data over a channel, and to iteratively decode the output data.

Application Serial No. 09/922,852  
Attorney's Docket No.: 06618-503001

60. (Currently amended) A method as in claim 59 wherein said first decoding, interleaving and inner coding is carried out in a single tree from beginning to end.

61. (Currently amended) A method as in claim 59 wherein said first encoding said interleaving and said inner coding is carried out in two separate branches on a single tree.

62. (Original) A method as in claim 59 further comprising a middle coding operation, said middle coding operation operating at a rate less than or equal to one using a specified coding technique.

63. (Original) A method as in claim 62 wherein said specified coding technique uses a double accumulator.

64. (Original) A method as in claim 59 wherein said inner coder operates according to the transfer function .

65. (Original) A method as in claim 59 wherein said inner coder operates according to a transfer function .

Application Serial No. 09/922,852  
Attorney's Docket No.:06618-503001

66. (Original) A method as in claim 59 further comprising, at another end of the channel, decoding said data using a posterior decoding techniques.

67. (Original) A method as in claim 59 further comprising, at the other end of the channel, decoding the data by using a Tanner graph representation.

68. (Original) A method as in claim 67 wherein said decoding comprises receiving a code and putting said code on a Tanner graph, iterating values of edge messages of the Tanner graph according to a specified rule by a specified number of times, and using the iterated values to determine an answer.